BAE SYSTEMS

GENERAL DYNAMICS

Unclassified

Approved for Public Release, Distribution Unlimited

# Survivability on the ART Robotics Vehicle

John Steen
Control Point Corporation
For BAE Systems

TARDEC

Michael Del Rose
U.S. Army TARDEC – Intelligent Systems

Unclassified

#### **Outline**



- ART Program
- Sensor Configuration
- Anti-Tamper
- Intent Analysis (Visual and IDS system)
- Countermeasures (Tactical Behaviors)


maintaining the data needed, and c including suggestions for reducing	lection of information is estimated to completing and reviewing the collect this burden, to Washington Headqu uld be aware that notwithstanding ar DMB control number.	ion of information. Send comments arters Services, Directorate for Info	s regarding this burden estimate or ormation Operations and Reports	or any other aspect of the 1215 Jefferson Davis	nis collection of information, Highway, Suite 1204, Arlington		
1. REPORT DATE		2. REPORT TYPE		3. DATES COVE			
24 MAR 2006		Briefing Charts		24-03-2006	6 to 24-03-2006		
4. TITLE AND SUBTITLE				5a. CONTRACT	NUMBER		
	MAR 2006  TITLE AND SUBTITLE  URVIVABILITY ON THE ARMED R  OBOTICS VEHICLE  AUTHOR(S)  Ohn Steen; Michael Del Rose  PERFORMING ORGANIZATION NAME(S) AND ADE  S. Army TARDEC ,6501 E.11 Mile R  SPONSORING/MONITORING AGENCY NAME(S) AN  S. Army TARDEC, 6501 E.11 Mile R  DISTRIBUTION/AVAILABILITY STATEMENT  pproved for public release; distribution  SUPPLEMENTARY NOTES  resented at Ground Vehicle Survivabile  ABSTRACT	ROBOTIC TECHNOLOGY		5b. GRANT NUMBER			
RODOTICS VEHICLE				5c. PROGRAM ELEMENT NUMBER			
6. AUTHOR(S)				5d. PROJECT NU	JMBER		
John Steen; Micha	el Del Rose		5e. TASK NUMBER				
				5f. WORK UNIT	NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)  U.S. Army TARDEC ,6501 E.11 Mile Rd, Warren, MI,48397-5000  9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)  U.S. Army TARDEC, 6501 E.11 Mile Rd, Warren, MI, 48397-5000				8. PERFORMING ORGANIZATION REPORT NUMBER #15636  10. SPONSOR/MONITOR'S ACRONYM(S) TARDEC			
		on unlimited					
		ility Symposium (g	vss) 2006				
14. ABSTRACT <b>N/A</b>							
15. SUBJECT TERMS							
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON		
a. REPORT unclassified	b. ABSTRACT <b>unclassified</b>	c. THIS PAGE unclassified	Same as Report (SAR)	9	ALSI ONSIBEL I ERSON		

**Report Documentation Page** 

Form Approved OMB No. 0704-0188

#### Armed Robotic Technology (ART) **Platform**







MILESTONE (FY)	05	06	07	80	09
Develop ARV Technologies					
Develop UGV Mobility M&S Suite		-			
Analyze UGV Vulnerabilities and develop countermeasures	•				
System Integration and Test	1	1			
Conduct Warfighter Experiments and Evaluations			<b>♦</b>		<b>♦</b>

#### Purpose:

Advance the state of the art in unmanned platform technologies to achieve FCS ORD Objective capabilities of UGV systems.


#### Product:


- Enhanced Semi-Autonomous Mobility
- Integrated Tactical/Mission Behavior System
- Increased Platform Maneuverability
- Survivability Technology/Devices/Payload
- · Reduced soldier burden/interaction
- · Improved semi-autonomous operation in adverse weather and urban/complex terrain.
- Tactical behavior incorporated into semiautonomous maneuver.
- Increased mobility over rough terrain.
- Increased soldier survivability using unmanned systems.
- Reduced risk to FCS ARV and MULE

### **ART Sensors**



- ■Intrusion Detection System (IDS) Radar
  - FM/CW
  - FOR:100m X 360deg H X ±30deg V
- RSTA
  - Visible, NIR, IR, LRF
  - FOR: 360deg H X 30deg V
  - ATD/AiTR
- Autonomous Mobility System (AMS)
  - Visible, NIR, IR, LADAR
  - FOR: 100m X 360deg H





### **Anti-Tamper**



■ What is "Anti-tamper" protection?

For ART: Anti-tamper refers to a system that determines the threat of an approaching person and actions to avoid the threat. It does NOT imply the ability of systems to be rendered useless (as traditionally defined).

■ Anti-tamper for the ART platform uses Visual Intent Analysis and IDS Radar.


Unclassified

### Intent Analysis - Visual System



- Visual Intent Analysis framework
  - Uses pedestrian detection/tracking to determine and track people as differentiated from other objects.
  - Classifies the intent of the people based on movements.
  - Hostile intentions trigger countermeasures (tactical behaviors).


## Visual Intent Analysis - Pedestrian Detection/Tracking



- Uses stereo infrared and color cameras to identify people and track them using disparity mappings, color blob analysis, and body positions.
- Tracks people through occlusions.

Unclassified

## Visual Intent Analysis - Pedestrian Detection/Tracking









Unclassified

5

#### BAE SYSTEMS **Visual Intent Analysis** - Determining Intent Visually Video data hierarchy image sequence Scenes: Global content and scene scene scene Intent. Shot: Objects and object relations, motion, and shot shot shot locations of objects Frames: Low level - color, frame frame frame texture, and shape. Unclassified

### Visual Intent Analysis - Identify the Scene



- Identifying the scenes (and shots) requires a well defined feature space.
- Usually requires color and motion.
- ■Basically, we are trying to find major changes in the image sequence.

### Visual Intent Analysis - Identify the Scene



### **Modeling Scene into Simple Verbs**

- ■From identifying and tracking the objects in the scene, we can determine their actions and their relationship with each other.
- ■Examples of simple verbs are: pickup, putdown, move, touch, etc.

Unclassified

\_\_\_

### Visual Intent Analysis - Identify Intent of the Scene



- Once each object is modeled, thus the scene is modeled, we can identify the intent based on prior information.
- ■Example: The intent of a person (O1) picking up an object (O2) and moving it to another location would be observed as: O1 moves. O1 touches O2. O1 moves. O2 moves. O1 un-touches O2. O1 exits.

Unclassified

14

### Intent Analysis -IDS Radar



- ■Determine intruder motion
  - Range, range rate, bearing
  - Crawling, walking, running
  - Intruder tracks
- Used by the AMS to identify potential threats
- ■Future UGV systems may use this in conjunction with the FCS Common Operating Picture (COP).


Unclassified

Countermeasures (Tactical Behaviors)



- Layered Response
  - Dependent upon threat level as determined by intent analysis
- Responses
  - Aural warning/High-intensity spotlight
  - Start/Rev engine
  - Move away
  - Move toward
  - Point gun
  - Shoot (MILES)

#### **Conclusion**



- ART Survivability utilizes several key sensors to protect itself from hostile intentions by people – called Anti-tamper.
- Anti-tamper uses both visual (Visual Intent Analysis) and radar (IDS Radar) to determine intentions of possible hostiles.
- Anti-tamper will be demonstrated in two user experiments (Jun-07, and Feb-09).

